

Name and subject index

Table of

combinatorial formulae, 127
continuous probability laws,
140–142
convergence modes, 193
discrete probability laws, 139
normal quantiles, 401, 402
Student quantiles, 402

L^1 , 53, 69–77

L^2 -martingale, 264, 276

L^p , 69–77

completeness, 72

convergence, 71, 191

\mathcal{L}^0 , 34

for complete measure, 55

\mathcal{L}^1 , 47, 69–77

for complete measure, 55

\mathcal{L}^p , 69–77

ℓ^1 , 49, 74

ℓ^p , 74

absolutely continuous

function, 111

measure, 105, 142

acceptance-rejection method, 406

accessible points, 427

adapted, 261, 319, 442

additive, 10

algebra (of sets), 5

almost everywhere, 50

almost sure convergence, 191

angle bracket, 264

aperiodic, 385

approximation of σ -algebra, 99

area of circle, 3

asymptotically negligible, 254

augmentation, 307

Azuma's inequality, 293

backwards martingale, 286

Banach–Steinhaus theorem, 458

Banach–Tarski paradox, 25

Bayes's billiard table, 152

Bayes's formula, 148

Bayesian prior, 152

bedside lamp lemma, 88

Beppo Levi, 44

conditional, 230

for series, 46

Bernoulli law, 133

Bernstein's die, 155

Bienaymé's theorem, 163

binomial law, 135

birth-and-death process, 380

Boolean algebra, 5

Boolean ring, 5, 14

Borel σ -algebra, 7, 9

generator, 7–9

of $[-\infty, \infty]$, 33–34

trace, 9

Borel function, 34

Borel isomorphism, 170

Borel measurable, 28, 34

Borel sets, 7

Borel–Cantelli lemma, 195, 206

Bortkiewicz's approximation, 182

boundary

absorbing, 365

reflecting, 365

sticky, 365

bounded variation, 111, 454

Box-Muller algorithm, 405

branching process, 368

- Brownian motion, 442
 - characterization, 448
 - construction, 445
 - fluctuation, 452
 - Hölder continuity, 456
 - infinite total variation, 455
 - is a bad integrator, 459
 - Lévy's characterization, 450
 - Markov property, 460, 462
 - martingale property, 450
 - multivariate, 448
 - nowhere differentiable, 457
 - quadratic variation, 455
 - reflection principle, 467–469
 - strong Markov property, 464, 465, 467, 471
 - Wald's identities, 453
 - with filtration, 442
- Burkholder–Davis–Gundy
 - inequalities, 303
- Campbell's formula, 321, 339
- Cauchy's functional equation, 314
- Cauchy–Schwarz inequality, 70
- Cavalieri's principle, 78
- Cesàro's lemma, 222
- change-of-variables, 95, 102, 104
- Chapman–Kolmogorov equations, 463
- characteristic function, 172, 321, 339, 425
 - continuity theorem, 204
 - inversion formula, 178, 180
 - normal law, 173, 244
 - uniqueness, 176
- Chebyshev's inequality, 184
- Chung–Fuchs test, 433
- Chung–Fuchs theorem, 432
- CLT, 186, 248, 250, 253, 254
 - for RW, 430
 - multivariate, 257–258
 - triangular arrays, 256
- communicating class, 355
- compensator, 264, 331, 450
- completion, 54–56
- compound Poisson process, 338
 - as Lévy process, 339
- conditional Beppo Levi, 230
- conditional density, 239
- conditional distribution, 240, 242
- conditional dom. convergence, 230
- conditional expectation, 226, 227
 - as L^2 -projection, 231
 - change of measure, 236
 - classic vs. abstract, 227, 233, 237–238
 - convergence theorems, 230
 - existence, 228
 - independence, 234
 - of normal rv, 247
 - properties, 229
 - pull out, 231
 - tower, 231
 - uniqueness, 228
 - w.r.t. random variable, 238
- conditional Fatou, 230
- conditional Jensen, 230
- conditional probability, 145, 226, 227
 - see also* conditional expectation,
- continuity lemma, 60
- continuity of measures, 10, 14
- continuity points, 68, 142, 187, 198, 218
- continuity theorem, 204
- continuous probability distribution, 140–145
- convergence (overview), 193
- convergence in L^p , 191
- convergence in distribution, 191, 198
- convergence in probability, 191
 - completeness, 201
 - fast, 195
 - via subsequences, 196
- convex function, 76
- convolution, 95, 162
 - smoothing effect, 97
- convolution theorem, 432
- counting principles, 124
- coupling, 183, 394
- covariance, 162
- Cramér–Wold device, 205
- cylinder set, 115, 371
- δ -function, 12
- d -convergence, 191
 - see also* conv. in distribution,
- Darboux sum, 65
- DeMoivre–Laplace theorem, 186, 248
- density function, 50, 105
- differentiability lemma, 61
- Dirac measure, 12
- Dirichlet's function, 57
- discontinuity points, *see* continuity points

- discrete probability measure, 13, 131–139
- discrete probability space, 13, 131
- distribution, 92, 133, 142
- distribution function, 86, 142
 - convergence in distribution, 198
 - inverse of, 164
 - layer-cake formula, 86–88
 - uniform convergence, 218
- dominated conv. theorem, 58, 73
 - conditional DCT, 230
- Donsker's invariance theorem, 442
- Doob decomposition, 263
- Doob's maximal L^p -inequality, 292, 304
- downcrossing, 272
 - estimate, 272, 304
- Dynkin system, 15

- Ehrenfest urn, 366
- election forecast, 190
- elementary event, 120, 123
- ergodic, 355
- ergodic theorem, 356, 392, 397
- Etemadi's maximal inequality, 219
- event, 121, 123
- exchangeable σ -algebra, 297
- exchangeable rvs, 297
- expectation, 49, 93, 132, 142
- exponential law, 143, 234, 313
 - characterization, 315
 - lack-of-memory, 314
- extension of measures theorem, 20

- factorization lemma, 39
- fast \mathbb{P} -convergence, 195
- Fatou's lemma, 46
 - conditional Fatou, 230
- Feller's CLT, 254
- Feller's condition, 251
- filtration, 261, 319
 - adaptedness, 442
 - augmented, 307, 309
 - canonical/natural, 319
 - convergence along, 294, 296
 - decreasing, 286, 296
 - right-continuous, 308, 309
- finite measure, 10
- finite permutation, 297
- first entrance time, 310, 378
 - is a stopping time, 451
- first hitting time, 310, 382
 - is a stopping time, 451
- Fubini's theorem, 85
- function
 - absolutely continuous, 111
 - bounded variation, 111, 454
- Galton–Watson process, 368
- gambler's ruin, 343–345, 380
- Gamma function, 62
- Gaussian, *see* normal
- generalized inverse, 164, 404
- generator, 6
 - product σ -algebra, 80
- geometric law, 136
- Gibbs sampler, 418
- Glivenko–Cantelli lemma, 217
- graph, 417
- Gronwall's lemma, 322

- Hölder's inequality, 70, 75
- Hastings step, 418
- Hewitt–Savage zero-one law, 298
- hitting probability, 383
- homogeneous MC, 353
- hypergeometric law, 137

- image measure, 29, 92, 104
 - integral for, 92, 93
- independence, 154, 155
 - block lemma, 157, 158, 168
 - conditioning, 234
 - criteria, 158, 177
 - families of sets, 155
 - pairwise, 155
 - random variables, 155
- independent increments, 323, 442
- independently scattered, 334
- indistinguishable, 308
- inequality
 - Azuma, 293
 - Burkholder–Davis–Gundy, 303
 - Cauchy–Schwarz, 70
 - Chebyshev, 184
 - conditional Jensen, 230
 - Doob maximal, 292, 304
 - downcrossing, 272, 304
 - Etemadi, 219
 - Gronwall, 322
 - Hölder, 70, 75
 - Jensen, 76
 - Khintchine, 302
 - Kolmogorov, 290

- Markov, 52
- maximal for mg, 288
- Minkowski, 70, 75
- truncation, 202
- Young, 69, 96
- infinite product, 114
 - σ -algebra, 114
 - independence, 167
 - measure, 115
- integrable function, 47
- integral
 - C-valued function, 91
 - measurable function, 47
 - positive mble function, 43
 - simple function, 42
- integration by parts, 88
- invariant distribution, 356, 397
- invariant measure, 356, 388, 397
- inversion method, 404
- irreducible, 386
 - SRW is irreducible, 423
- Ising model, 420

- Jacobi's transformation thm, 95, 102, 104
- Jensen's inequality, 76
 - conditional, 230
 - for concave functions, 77
- joint distribution, 158

- Kac's theorem, 159, 177
- Kahnemann–Tversky paradox, 149
- Khintchine's inequality, 302
- Kolmogorov's inequality, 290
- Kolmogorov's thm (on products), 115
- Kolmogorov's three series thm, 221
- Kolmogorov's zero-one law, 210, 295
- Kronecker symbol, 12
- Kronecker's lemma, 222
- Ky Fan metric, 201

- lack of memory, 314
- Laplace transform, 318
 - uniqueness, 319
- Laplace's rule of succession, 152
- law of large numbers
 - Borel's SLLN, 212
 - Cantelli's L^4 -SLLN, 207
 - ergodic theorem for MC, 392
 - Khintchine's WLLN, 184
 - Kolmogorov's L^1 -SLLN, 213, 296
 - Kolmogorov's L^2 -SLLN, 223
 - SLLN for exchangeable rv, 298
 - SLLN for PP, 340
 - SLLN for RW, 346
 - WLLN for MC, 358
 - WLLN for RW, 430
- law of small numbers, 182
- layer-cake formula, 86–88
- Lebesgue σ -algebra, 25
- Lebesgue decomposition, 110
- Lebesgue measure, 13
 - characterization, 13
 - existence, 25, 83
 - under linear maps, 31, 94
 - under orthogonal maps, 30
- Lebesgue sets, 25
- Lebesgue spaces, 53, 69–77
 - completeness, 72
 - convergence in L^p , 71, 191
- lemma, *see* theorem
- Lévy process, 323
- Lévy's continuity theorem, 204
- Lévy's downward theorem, 296
- Lévy's upward theorem, 294
- Lévy's zero-one law, 295
- Lindeberg condition, 250
- Lindeberg–Lévy CLT, 250
- local property, 63
- locally integrable, 88
- Lyapounov condition, 253
- Lyapounov's CLT, 253

- μ^* -measurability, 20
- Markov chain, 353
 - boundary behaviour, 365
 - communicating class, 355
 - construction, 371
 - examples, 363–369
- Markov inequality, 52
- Markov kernel, 240
- Markov process, 462
- Markov property, 371
 - equivalent statements, 372
 - of BM, 460, 462
 - see also* strong Markov property,
- martingale, 261, 303
 - L^2 -bounded, 276
 - backwards, 286
 - betting system, 259
 - characterization by stopping, 271
 - closed to the right, 277
 - Pythagoras theorem, 276
 - square-integrable, 264, 276

- martingale convergence theorem
 - L^1 -convergence, 284, 287, 294, 296
 - L^2 -convergence, 276
 - a.s. convergence, 274
 - backwards mg, 287
 - Lévy downward thm, 296
 - Lévy upward thm, 294
 - ui martingales, 284
- martingale regularization thm, 305–308
- martingale transform, 265
- maximal inequality (mg), 288
- mean recurrence set, 427
- measurable map, 27, 34
- measurable space, 10
 - product, 79
- measure, 10
 - absolutely continuous, 105
 - continuity of, 10
 - density, 50, 105
 - image, 29, 92, 104
 - push-forward, 29, 104
 - relative to a family, 9
 - singular, 109
 - translation invariant, 18
- measure space, 10
 - completion, 54
- Metropolis sampler, 417
- Metropolis–Hastings algorithm, 416
- Minkowski’s inequality, 70, 75
- monotone class theorem, 16, 40
- monotone convergence thm, 58
- Monte-Carlo integration, 215
- Monty Hall problem, 151
- moving hump, 197
- multinomial coefficient, 129, 351
- multinomial law, 136, 316
- negative part, 36
- normal law, 144
 - characteristic function, 173, 244
 - convergence, 443
 - degenerate, 144
 - multivariate, 244, 443
 - norming of, 86
 - quantile (table), 401, 402
 - standard, 144
- normal number, 212
- null set, 50, 54
 - completion, 54–56
- occupation measure, 427
- occupation time, 383
- optional sampling theorem, 269
- optional stopping theorem, 268
 - ui martingales, 285, 310–312
- optional time, 267
- outcome, 120, 123
- outer measure, 20
- \mathbb{P} -convergence, 191
 - see also* convergence in probability,
- parameter integrals
 - continuity, 60
 - differentiability, 61
- partition of unity, 102
- Perron–Frobenius theorem, 361
- Plancherel’s theorem, 432
- point mass, 12
- Poisson approximation, 182
- Poisson law, 182, 315
 - and multinomial law, 316
- Poisson process, 320
 - as Lévy process, 323, 324, 327
 - as martingale, 332
 - compound PP, 338
 - strong Markov property, 326, 329
 - superposition, 336
 - thinning, 336
- Pólya’s law, 138
- Pólya’s urn, 138
- positive part, 36
- predictable, 261
- previsible, *see* predictable
- probability measure, 10, 123
 - continuous, 140–145
 - discrete, 13, 131–139
- probability space, 123
 - discrete, 13, 131
- probability vector, 352
- problème des parties, 121
- product
 - σ -algebra, 79, 90
 - infinite, 114
 - measurable space, 79
 - measure space, 83, 115
- product measure
 - existence, 81
 - infinite, 115
 - uniqueness, 80
- pull out, 231
- push-forward, 29, 104
- Pythagoras thm for mg, 276

- quadratic variation, 264, 303, 455
- Rademacher functions, 197
- Radon–Nikodým derivative, 105
- Radon–Nikodým theorem, 105
- random measure, 321, 334
 - independently scattered, 334
 - orthogonal, 335
- random variable, 30, 92, 132
 - antithetic, 412
 - discrete, 132
 - realization on $[0, 1]$, 166, 171
 - simulation, 404–409
- random walk, 342
 - as MC, 363
 - fluctuation, 211, 424, 432
 - genuinely d -dimensional, 438
 - one-sided exit, 346
 - recurrence, 347, 349, 427, 430, 436, 439
 - simple, 342
 - symmetric, 342
 - symmetrization, 437
 - transience, 347, 349, 427, 435, 436, 439
 - two-sided exit, 343–345
 - Wald identities, 343
- recurrence class, 386
- recurrence set, 427
- recurrent
 - Brownian motion, 452
 - discrete MC, 384
 - null recurrent, 392
 - positive recurrent, 392
 - random walk, 347, 349, 427, 430
- reflection principle, 467–469
- regular conditional distribution, 240, 242
- reversible measure, 388
- Riemann integral, 65
 - as Lebesgue integral, 65
- Riemann sum, 65
- Riemann–Stieltjes integral, 458
- right-continuous filtration, 306
- ring (of sets), 5, 14
- σ -additive, 10
- σ -algebra, 5
 - approximation, 99
 - exchangeable, 297
 - generated by, 6, 29
 - generated by stopping time, 270, 309
 - infinite product, 114
 - intersection of, 6
 - product, 79, 90
 - tail, 209, 297
 - terminal, 209, 297
 - trace σ -algebra, 6
- σ -finite measure, 10
- σ -subadditive, 10
- sample point, 120, 123
- sample space, 121, 123
- semi-ring (of sets), 20, 79
 - product, 79
- simple function, 35
 - standard representation, 35
- simple random walk, *see* random walk
- simulation, 404–409
 - Metropolis algorithm, 416
- sine integral, 89, 180
- singular measures, 109
- SLLN, *see* law of large numbers
- sombrero lemma, 37
- Spitzer test, 439
- square bracket, 303
- square function, 303
- square-integrable, *see* L^2 -...
- standard representation, 35
- stationary distribution, *see* invariant distribution, invariant measure
- stationary increments, 323, 442
- step functions dense in L^p , 99
- stochastic matrix, 352
- stochastic process, 261, 319
 - Brownian motion, 442
 - Lévy process, 323
 - Markov chain, 353
 - Markov process, 462
 - Poisson process, 320
 - stopped, 268
- stopped process, 268
- stopping time, 267, 309
 - σ -algebra, 270, 309
 - approximation, 464
- strong Markov property, 326, 329, 373
 - of BM, 464, 465, 467
 - of discrete MC, 373–375
 - of RW, 425
- strongly additive, 10
- sub-martingale, 261, 303
 - see also* martingale,

- subadditive, 10
 - σ -subadditive, 10
- subsequence principle, 196
- sum of independent rv
 - convergence, 220, 221, 277, 301
 - convolution, 162
 - see also* random walk,
- summable sequence, 49, 74
- super-martingale, 261, 303
 - see also* martingale,
- superposition of PP, 336
- symmetric random walk, *see* random walk
- symmetric set, 297
- tail σ -algebra, 209, 297
- terminal σ -algebra, 209, 297
- terminal event, 209
- theorem
 - approx. by generators, 99
 - Banach–Steinhaus, 458
 - bedside lamp lemma, 88
 - Beppo Levi, 44, 46
 - Bienaymé, 163
 - Borel SLLN, 212
 - Borel–Cantelli lemma, 195, 206
 - Carathéodory, 20
 - Cauchy functional eqn., 314
 - Cesàro’s lemma, 222
 - Chung–Fuchs, 432
 - Chung–Fuchs test, 433
 - CLT, 186, 248, 250, 253, 254, 401
 - completeness of L^p , 72
 - continuity lemma, 60
 - continuity points are mble, 68
 - de Finetti (exchangeable rv), 299
 - DeMoivre–Laplace, 186, 248
 - differentiability lemma, 61
 - dominated convergence, 58, 73
 - Donsker, 442
 - Doob decomposition, 263
 - Doob’s downcrossing inequality, 272, 304
 - ergodic, 356, 392, 397
 - extension of measures, 20
 - factorization lemma, 39
 - Fatou’s lemma, 46
 - Feller, 254
 - Fubini, 85
 - Glivenko–Cantelli lemma, 217
 - Gronwall’s lemma, 322
 - Hewitt–Savage 0-1 law, 298
 - Jacobi’s transformation, 95, 102, 104
 - Kac, 159, 177
 - Kolmogorov (on products), 115
 - Kolmogorov’s 0-1 law, 210, 295
 - Kolmogorov’s SLLN, 213, 223, 296, 401
 - Kronecker’s lemma, 222
 - Lévy continuity, 204
 - Lévy’s 0-1 law, 295
 - Lebesgue decomposition, 110
 - Lindeberg–Lévy, 250
 - Lyapounov CLT, 253
 - martingale convergence, 274, 276, 284, 287, 294, 296
 - martingale regularization, 305–308
 - monotone class, 16, 40
 - monotone convergence, 58
 - optional sampling, 269
 - optional stopping, 268, 285, 310–312
 - Paley–Wiener–Zygmund, 457
 - partition of unity, 102
 - Perron–Frobenius, 361
 - Plancherel, 432
 - Pólya, 349
 - Radon–Nikodým, 105
 - recurrence of SRW, 349
 - Riemann integrability, 66
 - Riesz’s convergence, 74
 - Riesz–Fischer, 72
 - shrinking lemma, 102
 - sombrero lemma, 37
 - Spitzer test, 439
 - three series, 221
 - Tonelli, 84
 - uniqueness of measures, 17
 - Vitali’s convergence thm, 281
 - Wald identities, 343, 453
 - Weierstraß approximation, 186
- thinning of PP, 336
- tightness, 203
- Tonelli’s theorem, 84
- topological σ -algebra, 9
- topology, 7
- total probability, 148
- total variation, 111, 454
- tower property, 231
- trace σ -algebra, 6
- transient
 - discrete MC, 384

- random walk, 347, 349, 427
- transition matrix, 353
- triangulation, 3
- truncation inequality, 202

- uncorrelated, 163
- uniform law, 143, 172
- uniformly integrable, 279
- uniqueness thm (measures), 17

- variance, 93, 138, 162
- variance reduction, 409–416
- variational sum, 110, 454
- Vitali's convergence theorem, 281
- volume of parallelepiped, 31

- Wald's identities, 343, 453
- weak convergence (measures), 191
- Weierstraß approximation thm, 186
- WLLN, *see* law of large numbers
- Wright–Fisher model, 369

- Young's inequality, 69, 96

- zero-one law
 - Hewitt–Savage, 298
 - Kolmogorov, 210, 295
 - Lévy, 295